

16% HEN LAYER RATION PELLETS

FS5000

GUARANTEED ANALYSIS

Crude Protein (Min)	15.65%
Lysine (Min)	0.66%
Methionine (Min)	0.18%
Crude Fat (Min)	
Crude Fiber (Max)	
Calcium (Min)	
Calcium (Max)	4.31%
Phosphorus (Min)	0.43%
Salt (Min)	
Salt (Max)	
, ,	

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Salt, Roughage Product, Mineral Oil, Manganous Oxide, Zinc Oxide, Ferrous Sulfate, Iron Oxide, Copper Sulfate, Ethylenediamine Dihydriodide, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite, Vitamin B12 Supplement, Biotin, Folic Acid, Niacin, Calcium Pantothenate, Pyridoxine Hydrochloride, Riboflavin, Thiamine Mononitrate, Silicon Dioxide, Ethoxyquin (a preservative), Forage Products, UniBond (Urea Formaldehyde Condensation Polymer) Pellet Binder "Approved For Use In All Animal Feeds".

FEEDING DIRECTIONS

The feed may be used as the only feed for the entire production cycle. Recommended for feeding to mature laying hens. Oyster shell should be kept before birds at all times.

AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk – or – 50 lb (22.68 kg) Net Weight







CHICKEN SCRATCH

FS5010

GUARANTEED ANALYSIS

Crude Protein (Min)	8.00%
Crude Fat (Min)	2.00%
Crude Fiber (Max)	5.00%

INGREDIENTS Grain Products, Vegetable Oil.

FEEDING DIRECTIONS

Hand feed at the rate of 8 pounds per hundred hens per day. Provide Layer Supplement 20 free-choice.

AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk – or – 50 lb (22.68 kg) Net Weight







AGL 16% LAYER CRUMBLE

FS5030

GUARANTEED ANALYSIS

Crude Protein (Min)	15.81%
Lysine (Min)	0.67%
Methionine (Min)	0.18%
Crude Fat (Min)	
Crude Fiber (Max)	
Calcium (Min)	
Calcium (Max)	
Phosphorus (Min)	
Salt (Min)	
Salt (Max)	

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Salt, Roughage Product, Mineral Oil, Manganous Oxide, Zinc Oxide, Ferrous Sulfate, Iron Oxide, Copper Sulfate, Ethylenediamine Dihydriodide, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite, Vitamin B12 Supplement, Biotin, Folic Acid, Niacin, Calcium Pantothenate, Pyridoxine Hydrochloride, Riboflavin, Thiamine Mononitrate, Silicon Dioxide, Ethoxyquin (a preservative), UniBond (Urea Formaldehyde Condensation Polymer) Pellet Binder "Approved For Use In All Animal Feeds".

FEEDING DIRECTIONS

The feed may be used as the only feed for the entire production cycle. Recommended for feeding to mature laying hens. Oyster shell should be kept before birds at all times.

This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed.

AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk - or - 50 lb (22.68 kg) Net Weight







LAYER 20 PLT

FS5033

TO PROMOTE MAXIMUM EGG PRODUCATION IN YOUNG LAYER HENS.

GUARANTEED ANALYSIS

Crude Protein, (Min)	26.27%
Lysine, (Min)	1.00%
Methionine, (Min)	0.23%
Crude Fat, (Min)	
Crude Fiber, (Max)	5.11%
Calcium (Ca), (Min)	5.59%
Calcium (Ca), (Max)	6.71%
Phosphorus (P), (Min)	0.73%
Salt (NaCl), (Min)	0.64%
Salt (NaCl), (Max)	

INGREDIENTS

Grain Products, Plant Protein Products, Processed Grain By-Products, Calcium Carbonate, Animal Protein Products, Salt, Roughage Product, Calcium Carbonate, Mineral Oil, Manganous Oxide, Zinc Oxide, Ferrous Sulfate, Iron Oxide, Copper Sulfate, Ethylenediamine Dihydriodide, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite, Vitamin B12 Supplement, Biotin, Folic Acid, Niacin, Calcium Pantothenate, Pyridoxine Hydrochloride, Riboflavin, Thiamine Mononitrate, Silicon Dioxide, Ethoxyquin (a preservative), UniBond, Choline Chloride.

FEEDING DIRECTIONS

Feed as directed by your nutritionist. UniBond (Urea Formaldehyde Condensation Polymer) Pellet Binder "Approved For Use in All Animal Feeds" DIRECTIONS FOR USE Keep 20% Hen Layer Ration in feeders before hens at all times. Hand-feed grain at the rate of 8 lbs. per 100 hens per day. Not suitable for use as a pullet rearing ration.

This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed.

AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk - or - 50 lb (22.68 kg) Net Weight







20% HEN LAYER RATION CRUMBLES

FS5031

TO PROMOTE MAXIMUM EGG PRODUCATION IN YOUNG LAYER HENS.

GUARANTEED ANALYSIS

Crude Protein, (Min)	20.27%
Lysine, (Min)	0.95%
Methionine, (Min)	0.23%
Crude Fat, (Min)	3.09%
Crude Fiber, (Max)	5.11%
Calcium (Ca), (Min)	5.59%
Calcium (Ca), (Max)	6.71%
Phosphorus (P), (Min)	0.64%
Salt (NaCl), (Min)	0.58%
Salt (NaCl), (Max)	0.74%

INGREDIENTS

Grain Products, Plant Protein Products, Processed Grain By-Products, Calcium Carbonate, Animal Protein Products, Salt, Roughage Product, Mineral Oil, Manganous Oxide, Zinc Oxide, Ferrous Sulfate, Iron Oxide, Copper Sulfate, Ethylenediamine Dihydriodide, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite, Vitamin B12 Supplement, Biotin, Folic Acid, Niacin, Calcium Pantothenate, Pyridoxine Hydrochloride, Riboflavin, Thiamine Mononitrate, Silicon Dioxide, Ethoxyquin (a preservative), UniBond, Choline Chloride.

DIRECTIONS FOR USE

Keep 20% Hen Layer Ration in feeders before hens at all times. Hand-feed grain at the rate of 8 lbs. per 100 hens per day. Not suitable for use as a pullet rearing ration. UniBond (Urea Formaldehyde Condensation Polymer) Pellet Binder "Approved For Use in All Animal

This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed.

AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk - or - 50 lb (22.68 kg) Net Weight







21% CHICK STARTER MEAL

FS5038

GUARANTEED ANALYSIS

Crude Protein (Min)	21.00%
Lysine (Min)	1.25%
Methionine (Min)	
Crude Fat (Min)	
Crude Fiber (Max)	
Calcium (Min)	1.09%
Calcium (Max)	1.11%
Phosphorus (Min)	0.70%
Salt (Min)	0.44%
Salt (Max)	0.46%

INGREDIENTS

Grain Products, Plant Protein Products, Animal Fat, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Fish Meal, Salt, DL-Methionine, Roughage Product, Mineral Oil, Manganous Oxide, Zinc Oxide, Ferrous Sulfate, Iron Oxide, Copper Sulfate, Ethylenediamine Dihydriodide, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite, Vitamin B12 Supplement, Biotin, Folic Acid, Niacin, Calcium Pantothenate, Pyridoxine Hydrochloride, Riboflavin, Thiamine Mononitrate, Silicon Dioxide, Ethoxyquin (a preservative), Choline Chloride.

FEEDING DIRECTIONS

Chicks being fed to be pullets should consume 2 to 3 pounds of Chick Starter and then be switched to Pullet Grower. Chicks that are being fed as meat birds should be fed Chick Starter from birth to six weeks of age and then switched to Broiler Finisher.

AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk - or - 50 lb (22.68 kg) Net Weight







17% PULLET GROWER PELLET

FS5040

GUARANTEED ANALYSIS

Crude Protein (Min)	17.00%
Lysine (Min)	
Methionine (Min)	
Crude Fat (Min)	
Crude Fiber (Max)	
Calcium (Min)	
Calcium (Max)	
Phosphorus (Min)	
Salt (Min)	
Salt (Max)	0.38%

INGREDIENTS

Processed Grain By-Products, Grain Products, Plant Protein Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Animal Fat, Salt, Roughage Product, Mineral Oil, Manganous Oxide, Zinc Oxide, Ferrous Sulfate, Iron Oxide, Copper Sulfate, Ethylenediamine Dihydriodide, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite, Vitamin B12 Supplement, Biotin, Folic Acid, Niacin, Calcium Pantothenate, Pyridoxine Hydrochloride, Riboflavin, Thiamine Mononitrate, Silicon Dioxide, Ethoxyquin (a preservative), Urea Formaldehyde Condensation Polymer, Choline Chloride, Lysine, DL-Methionine.

FEEDING DIRECTIONS

When chicks have consumed 2 pounds of Chick Starter, feed chicks Pullet Grower until they are 18 weeks of age. Then switch to 20% Hen Layer Ration.

This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed.

AGFINITY, INCORPORATED

 $Manufactured \ By: Agfinity, Inc.\ 260\ Factory\ Road\ Eaton,\ CO\ 80615\ Bulk-or-50\ lb\ (22.68\ kg)\ Net\ Weight$







18% BROILER FINISHER COMPLETE

FS5041

GUARANTEED ANALYSIS

Crude Protein (Min)	18.00%
Lysine (Min)	
Methionine (Min)	
Crude Fat (Min)	
Crude Fiber (Max)	
Calcium (Min)	
Calcium (Max)	
Phosphorus (Min)	
Salt (Min)	0.55%

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Animal Fat, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, DL-Methionine, Ferrous Sulfate, Manganous Oxide, Zinc Oxide, Sodium Selenite, Copper Sulfate, Mineral Oil, Ethylenediamine Dihydriodide, Choline Chloride, L-Lysine, Roughage Products, Fermacto, Niacin, Vitamin E Supplement, Calcium Pantothenate, Vitamin A Supplement (stability improved), Biotin, D-Activated Animal Sterol (Source of Vitamin D3), Riboflavin, Pyridoxine Hydrochloride, Vitamin B12 Supplement, Thiamine Mononitrate, Folic Acid, Ethoxyquin (a preservative 0.05%), Urea Formaldehyde Condensation Polymer.

FEEDING DIRECTIONS

Feed as the sole ration to broilers at the sixth week to market weight.

AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk - or - 50 lb (22.68 kg) Net Weight







of the Rockies GAME BIRD/TURKEY STARTER/BREEDER CRUMBLE

FS5195

COMPLETE FEED FOR PHEASANTS, QUAIL, CHUKAR, AND TURKEY

GUARANTEED ANALYSIS

rude Protein, (Min)	Cru
4 = 00/	Lys
ethionine, (Min)	Me
rude Fat, (Min)	Cru
rude Fiber, (Max)	Cru
alcium (Ca), (Min)	Cal
alcium (Ca), (Max)	Cal
nosphorus (P), (Min)	Pho
alt (NaCl), (Min)	Sal
alt (NaCl), (Max)	Sal

INGREDIENTS

Forage Products, Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Urea Formaldehyde Condensation Polymer, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Vitamin A Supplement, D-Activated Animal Sterol (Source of Vitamin D3), Riboflavin, Niacin, Choline Chloride, Calcium Pantothenate, Vitamin B12 Supplement, Biotin, Pyridoxine Hydrochloride, Menadione Sodium Bisulfite (Source of Vitamin K Activity), Vitamin E Supplement, Folic Acid, Thiamine Mononitrate, Manganous Oxide, Iron Sulfate, Zinc Oxide, Copper Sulfate, Cobalt Carbonate, Potassium Iodide

FEEDING DIRECTIONS

Agland Game Bird/ Turkey Starter/Breeder is designed for use as a complete starting feed for pheasants, chukar, and quail; and as a concentrate enabling the preparation of complete growing and breeding rations. Use Agland Game Bird/Turkey Starter/Breeder as the sole feed during the period from 1 to 8 weeks of age as a starting feed. Example rations derived from blending Agland Game Bird/Turkey Starter/Breeder with grain and other ingredients, and directions for their use are shown below:

20% Maintenance/Flight Feed: Designed to be fed to chukar and pheasant from 8 weeks of age.

Lbs.	Ingredient
1200	Agland Game Bird/Turkey Starter/Breeder
800	Grain

16% Game Bird Feed: Holding ration for mature pheasants and chukars.

Lbs.	Ingredient
1200	Grain
800	Agland Game Bird/Turkey Starter/Breeder

20% Maintenance/Flight Feed: Designed for quail. Should be used prior to the onset of lay and as the sole feed continuously during lay.

Lbs.	Ingredient
1700	Agland Game Bird/Turkey Starter/Breeder
200	Grain
100	Ground limestone

20% Maintenance/Flight Feed: Designed for pheasants and chukar.

=	
Lbs.	Ingredient
1600	Agland Game Bird/Turkey Starter/Breeder
400	Grain

20% Maintenance/Flight Feed: Should be used prior to the onset of lay and as the sole feed continuously during lay.

Lbs.	Ingredient
1200	Agland Game Bird/Turkey Starter/Breeder
200	Grain
100	Ground limestone

¹ Low-energy grains, e.g., grain screenings, barley, oats, should comprise half of the grain amount to produce low energy rations for flight birds. Important: Follow sound management practices and disease and sanitation control measures. If any questions, contact your veterinarian, Agland dealer or salesman. This product is to be fed only to the animal species as directed on this label.

AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk - or - 50 lb (22.68 kg) Net Weight







CHICK STARTER/GROWER 23% AMP .0175%

FS5278

MEDICATED:COMPLETE FEED FOR STARTING/GROWING MEAT-TYPE BROILER CHICKENS COMPLETE FEED FOR GROWING TURKEYS AND PHEASANTS

ACTIVE DRUG INGREDIENT

Amprolium	0.0175%
GUARANTEED ANALYSIS	
Crude Protein, (Min)	23.00%
Lysine, (Min)	1.20%
Methionine, (Min)	0.50%
Crude Fat. (Min)	4.00%
Crude Fiber. (Max)	3.50%
Calcium (Ca), (Min)	1.14%
Calcium (Ca), (Max)	1.16%
Phosphorus (P), (Min)	0.75%
Salt (NaCl), (Min)	0.49%
Salt (NaCl), (Max)	

INGREDIENTS

Grain Products, Plant Protein Products, Animal Protein Products, Animal Fat, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Salt, DL-Methionine, Roughage Product, Mineral Oil, Manganous Oxide, Zinc Oxide, Iron Sulfate, Iron Oxide, Copper Sulfate, Ethylenediamine Dihydriodide, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite, Vitamin B12 Supplement, Biotin, Folic Acid, Niacin Supplement, Calcium Pantothenate, Pyridoxine Hydrochloride, Riboflavin Supplement, Thiamine Mononitrate, Silicon Dioxide, Ethoxyquin (a preservative), UniBond (Urea Formaldehyde Condensation Polymer) Pellet Binder "Approved For Use In All Animal Feeds", Choline Chloride, Yeast Culture.

FEEDING DIRECTIONS

BROILER CHICKENS: Feed to chickens as the sole rations continuously from 1 day of age until 3 weeks of age (21 days). May be fed to broiler chickens as the sole ration from day-old until market. TURKEYS/PHEASANTS: Feed from (8-12 wks.). CAUTION: Do not use Amprolium in feeds containing bentonite. Provide fresh clean water at all times. WARNING: Use as the sole source of Amprolium. Fertility, hatchability and other reproductive data are not available on Amprolium in breeding pheasants. RUMINANT MEAT AND BONE MEAL FREE. As an aid in prevention of coccidiosis where immunity to coccidiosis is not desired in chickens. As an aid in the prevention of coccidiosis in turkeys. For the prevention of coccidiosis in growing pheasants caused by Eimeria Colchici, Eimeria Duodenalis and Eimeria Phasiana.

This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed.

AGFINITY, INCORPORATED

Manufactured By: Agfinity, Inc. 260 Factory Road Eaton, CO 80615 Bulk - or - 50 lb (22.68 kg) Net Weight



